

TPS
WeldTech

**POWERTEC® i250C & i320C
READY FOR TOMORROW**



www.lincolnelectric.eu

LINCOLN
ELECTRIC

POWERTEC® i250C & i320C

POWERTEC® i are inverter based compact welders for MIG/MAG and MMA welding. Available as either the **STANDARD** (*Volt & WFU controls and digital volt/ammeters*) model or the **ADVANCED** (*colour screen with 25 synergic curves*) model with two welding outputs, 250 or 300A.

► DESIGNED BY WELDERS, FOR WELDERS

POWERTEC® i is designed with attention to details



Gun Holder: always at hand,
ready to work

Storage Compartment:
keep your workstation organized



Robust Front Cover (option):
keep your user interface safe

K14174-1



Large TFT Colour Screen: Good visibility from distance



Rubber Bumpers (option):
protect the feet
of the welder

K14177-1



**Low Gas Cylinder
Shelf:** easy install
of gas bottle

› INNOVATIVE INTUITIVE INTERFACE

Simple navigation also when using welding gloves.

- › Easy setting by selecting process & material thickness
- › Visualisation of useful information (ARCFX™ joint configuration, welding defects...)
- › Multi-language navigation menu

Intuitive navigation




7" COLOR DISPLAY !

Easy Process Selection



Instructions on the screen



› MORE FUNCTIONS & FEATURES

Auto

AUTO-SETTINGS

Preset parameters to increase productivity




USB CONNECTIVITY

Easy software update & diagnostics, weld log for quality monitoring

› PERFECT FEEDABILITY




Optimized wire positioning: improved arc stability & reduced gun vibration



4 rolls/ all driven:

- eliminates wire slipping
- no wire deformation



Inspection window: easier notification for spool change



LED lights: better visibility

› BUILT FOR THE HEAVIEST INDUSTRIAL CONDITIONS

Developed and tested under the hardest conditions (**TRUE HD**) to grant the reliability you need.



› PREMIUM ARC PERFORMANCE

ARC INITIATION

Repeatable arc ignition with outstanding arc characteristics.

ARC STABILITY

Excellent arc stability, ensuring a smooth droplet transfer, with reduced spatter.

ARC DYNAMICS

Rapid parameter adjustment allowing variability under welding conditions.



› TECHNICAL SPECIFICATIONS

POWERTEC® i250C & i320C can be used both for **MIG & STICK** welding of steel, stainless steel, aluminium and MIG brazing applications.



POWERTEC® i		
	Standard	Advanced
Welding processes	MIG & FCW welding Stick welding	
Setting	manual	auto/manual
Welding parameters	digital meters	large colour screen
Synergic modes	-	25 preset
JOB Mode / A-B	-	✓
ARCFX™	-	✓
Language selection	-	✓
Memory function	-	✓
USB connection	-	✓

POWER SOURCE	POWERTEC® i250C	POWERTEC® i320C
Main power supply	3 x 400 V [±15%] 50/60Hz	
Effective primary consumption (A)	14.7 A	19.6 A
Efficiency at max current	86%	88%
Idle Power (W)	< 25 W	
Power factor at max current	0.85	0.90
Duty cycle (@ 40 °C)		
@ 40%	-	320 A
@ 60%	250 A	250 A
@ 100%	195 A	195 A
Current range max	10 A / 250 A	10 A / 320 A
Dimensions (LxWxH)	635 x 300 x 535 mm	
Weight	66 kg	
To order	Standard version	K14157-1
	Advanced version	K14158-2

READY FOR TOMORROW

The new European regulation for Welding Equipment will soon be implemented and will require a phase out of conventional equipment.

The new **POWERTEC® i** family complies with this regulation by having a minimum power source efficiency of 85% & an idle consumption which is below the new tolerated limit.

Depending on your application, welding parameters & duty cycle, **you can save up 2.500 kWh* (~300€) per year and per equipment.**



**BUY NOW,
BE READY FOR
TOMORROW AND
START SAVING
TODAY**

* 260A, 2 shifts a day with 30% operator factor

POWERTEC® i

**INTUITIVE
INTERFACE**

**EXCEPTIONAL
ERGONOMICS**

**BEST
RELIABILITY
(TRUE HD)**

**PREMIUM
ARC
PERFORMANCE**

**MORE
FUNCTIONS
& FEATURES**

BEING PRESENT LOCALLY MAKES US MORE AWARE GLOBALLY



2.6

BILLION USD REVENUE

160

ACTIVE IN 160
COUNTRIES
WORLDWIDE

11 000

EMPLOYEES WORLDWIDE

120

YEARS OF EXPERIENCE

CUSTOMER ASSISTANCE POLICY

The business of The Lincoln Electric Company® is manufacturing and selling high quality welding equipment, consumables, and cutting equipment. Our challenge is to meet the needs of our customers and to exceed their expectations. On occasion, purchasers may ask Lincoln Electric for information or advice about their use of our products. Our employees respond to inquiries to the best of their ability based on information provided to them by the customers and the knowledge they may have concerning the application. Our employees, however, are not in a position to verify the information provided or to evaluate the engineering requirements for the particular weldment. Accordingly, Lincoln Electric does not warrant or guarantee or assume any liability with respect to such information or advice. Moreover, the provision of such information or advice does not create, expand, or alter any warranty on our products. Any express or implied warranty that might arise from the information or advice, including any implied warranty of merchantability or any warranty of fitness for any customers' particular purpose is specifically disclaimed.

Lincoln Electric is a responsive manufacturer, but the selection and use of specific products sold by Lincoln Electric is solely within the control of, and remains the sole responsibility of the customer. Many variables beyond the control of Lincoln Electric affect the results obtained in applying these types of fabrication methods and service requirements.

Subject to Change – This information is accurate to the best of our knowledge at the time of printing. Please refer to www.lincolnelectric.eu for any updated information.



www.lincolnelectriceurope.com

LINCOLN
ELECTRIC